Exercises for German-Speaking Children with Dyslexia

Maria Rauschenberger^{1(⊠)}, Silke Füchsel², Luz Rello^{3,4}, Clara Bayarri⁴, and Jörg Thomaschewski²

OFFIS - Institute for Information Technology, Oldenburg, Germany maria. rauschenberger@offis.de

² University of Applied Sciences Emden/Leer Emden, Emden, Germany sfuchsel@gmx.de, joerg.thomaschewski@hs-emden-leer.de

³ Change Dyslexia Foundation, Madrid, Spain

luz@changedyslexia.org

⁴ Cookie Cloud Barcelona, Barcelona, Spain clara@cookie-cloud.com

Abstract. In this work-in-progress we present a computer-based method to design German reinforcement exercises for children with dyslexia. From different schools, we collected more than 1,000 errors written by children with dyslexia. Then, we created a classification of dyslexic errors in German and annotated the errors with different language specific features, such as phonetic and visual features. For the creation of the exercises we took into account the linguistic knowledge extracted from the analyses and designed more than 2,500 word exercises in German that have been integrated in a game available for iOS. The game and the resource of dyslexic errors are available online (https://itunes.apple.com/us/app/dyseggxia/id534986729?mt=8) and they are, to the best of our knowledge, the first contributions of this kind for German.

Keywords: Dyslexia · iOS · Spelling · German · Children · Gamification

1 Introduction

Dyslexia is a specific learning disability with neurological origin. It is characterized by difficulties with accurate and/or fluent word recognition and by poor spelling and decoding abilities. These difficulties typically result from a deficit in the phonological components of language that is often unexpected in relation to other cognitive abilities. Secondary consequences may include problems in reading comprehension and reduced reading experience that can impede growth of vocabulary and background knowledge [1]. Dyslexia is frequent: Worldwide, 10 % of the population and from 5 to 12 % of the German students have dyslexia [2].

In Germany, only 25 % of the poor spellers achieve average spelling performance during the period of primary school [3]. In a longitudinal study Esser et al. [4] showed that children with diagnosed dyslexia at the age of eight achieved less school performance and a higher rate of unemployment, than the control group measured afterwards at the age of 25. Schulte-Körne et al. [5] showed that it takes longer for children with

[©] IFIP International Federation for Information Processing 2015 J. Abascal et al. (Eds.): INTERACT 2015, Part I, LNCS 9296, pp. 445–452, 2015. DOI: 10.1007/978-3-319-22701-6_33

dyslexia to achieve school grades that are comparable to the others, even if these children have a socio-economic condition above the average.

Overcoming dyslexia means a great effort for children and requires doing language exercises regularly [6]. Traditionally, these exercises are done using pen and paper. In the case of dyslexia, exercises on paper introduce an added difficulty for some students due to the fact that dysgraphia is comorbid with dyslexia [7].

More recently, it was shown that computer games are a convenient medium to provide exercises in an engaging way to significantly improve the reading performance [10, 11] and the spelling performance [12] of children with dyslexia. These methods cannot simply be extended to other languages because manifestations of dyslexia depend on the different orthographies of the languages [13].

In this paper, we present a game for children with dyslexia for German. To make the training exercises, this method uses real errors found in texts written by children with dyslexia. To the best of our knowledge, this is the first time that error-based exercises targeted for people with dyslexia are done for German.

The structure of the paper is stated as follows: Sect. 2 details related work while Sect. 3 presents how we created the content design of the application. Finally, we draw conclusions and describe our future work in Sect. 4.

2 Related Work

There are several approaches of assistive technology for dyslexia [14]. Following, we only present related games to support and train specific issues of dyslexia.

Lernserver is a tool to diagnose dyslexia in German, define the level of support the child needs, and provide support exercises [15]. An evaluation with the Landesinstitut für Schule found out that 78, 2 % of the students (N = 3798) improved their writing using this tool [16]. Similarly, $Klex\ 11^2$ helps to practice vocabulary in German adapted to a certain school degree. These tools only use correct-based exercises in the game. Likewise, $CESAR\ schreiben\ 2.0^3$ is a strategy and educational game, which includes listening, spelling and vocabulary.

Kyle et al. [10] compared two computer-assisted reading interventions for English inspired by the Finnish *GraphoGame* [17]: *GG Rime* and *GG Phoneme*. They conducted a user study with 31 children of 6 and 7 years old. While the results show that both games may benefit decoding abilities, no significant effects were found, probably due to an insufficient number of participants or not enough training time. The closest work to us is *Dyseggxia* or *Piruletras* for iOS [18], a game composed of error-based exercises to support writing in children with dyslexia in English and Spanish. During eight weeks, the authors carried out a within-subject experiment with 48 children from 6 to 11 years old. Children who played *Dyseggxia* for four weeks in a row had

¹ Dysgraphia refers to a writing disorder associated with the motor skills involved in writing, handwriting and sequencing, but also orthographic coding [7].

² http://www.legasthenie-software.de.

³ http://www.ces-verlag.de/deutsch/Schreiben2_0/schreiben2_produktinfo.php5.

significantly less writing errors in the tests than after playing the control condition for the same time [12]. Our game differs from previous work in being the first tool for German based on written dyslexic errors.

3 Game Content Design

In this section we explain the steps we followed to create the exercises to be integrated in the application. We decided to use errors written by people with dyslexia as the starting point because they can be used as a source of knowledge. Regarding dyslexia, the errors that people with dyslexia make are related to the types of difficulties that they have [19].

3.1 Collecting Texts from Children with Dyslexia

We collaborated with two schools to gather anonymous texts written by students with dyslexia. We collected 47 texts (homework exercises, dictations and school essays) written by students from 8 to 17 years old. A total of 32 texts came from children who have been diagnosed with dyslexia. Teachers collected the remaining texts from children with a high spelling error rate. The children attended primary school, comprehensive school (*Gesamtschule*), high school (*Gymnasium*) or a special school (*Förderschule*).

3.2 Classification of German Dyslexic Errors

We analyzed the errors and defined an error classification for German. Except from the categorie capital letter, the rest of the error types are consistent Pedler's classification of dyslexic errors [21]⁴:

- **Substitution:** change one letter by another, *grümeln (krümeln, 'crumble').
- **Insertion:** insert one letter, *muttig (mutig, 'bravely').
- Omission: omit one letter, *zusamen (zusammen, 'together').
- **Transposition:** reversing two letters, *Porblem (Problem, 'problem')*.
- **Multi-errors:** more than one letter different, *Stag (stark, 'strong').
- Word boundary errors: They are run-ons and split words. A run-on is the result of omitting a space, such as *nichtärgern* (*nicht ärgern*, 'don't tease'). A split word occurs when a space is inserted in the middle of a word, such as Vogel futter (Vogelfutter, 'bird food').
- Capital letter: in German nouns are written with capital letters, while other kinds of words like verbs, adjectives or articles are not. This leads very often to spelling errors frequently based on the lack of attention [22]. For example *geschichten (Geschichten, 'stories') or *Glücklich (glücklich, 'happy').

⁴ Examples with errors are preceded by an asterisk '*'. We use the standard linguistic conventions: '<>' for graphemes, '/' for phonemes and '[]' for phones.

3.3 Annotation of Dyslexic Errors

We annotated each of the word-error pairs with linguistic features [23]. Each of the word-error pairs was enriched with specific phonological and visual features derived from the analysis of the errors and some examples:

- **Visual information:** for each of the target and the error graphemes we annotate the letters involved in the error with the following visual information, considering handwritten text. As a guideline we chose the *Lateinische Ausgangsschrift* [24] because it is commonly used in schools where the texts were collected. The tags use for visual information are: (a) the presence of mirror letters (<d> and or <m> and <w>), (b) rotation letters (<d> and .) or fuzzy letters, that is, similar visual letters but not due to rotate or mirror, such as <s> and <z>.
- **Phonetic information:** Each of the error words was tagged using a classification inspired by the error analysis of the *DRT* [20]. This classification is based on traditional articulatory phonetic features [25] and is divided into the following categories: (a) sound distinction, (b) sound sequence, (c) combination of consonants, words with <v>, (d) umlaut, (e) double consonant/false double consonant, (f) lengthening, (g) words with <s/B>, and (h) derivation. For instance, in (h) derivation, related words are often written the same way or similar but pronounced different. To write these words in the right way, one possibility is to have a look at the plural form so that the right writing can be derivate, e.g. *Walt (Wald [valt]; Wälder [veldv], 'forest')*. We took these features into account to design the exercises (see next Section).

3.4 Exercise Design

First, we analyzed statistically the features of the errors and created a set of linguistic patterns for designing the exercises. Then, we manually created 2,500 exercises for German. The types of exercises were defined according the kind of errors found in our resource. These are:

- **Insertion:** A missing letter is shown and the child need to insert a letter from a set of possibilities displayed on the screen, e.g. *Geburstag, (Geburtstag, 'birthday').
- **Omission:** The child is given a word with an extra letter and is asked to identify and remove it, e.g. *Abennd, (Abend, 'evening') (Fig. 1, right).
- **Substitution:** A word with a wrong letter is displayed and the user is asked to identify and substitute the wrong letter by another letter from a set of possibilities displayed on the screen, e.g. *Muntag, (Montag, 'monday') (Fig. 1, left).
- Separation: A set of words, normally composed of a lexical word and a small word or/and functional word are displayed on screen without spaces. Lexical words (e.g. *Hund*, 'dog') form the basic elements of a language's lexicon. They have a lexical meaning which is less ambiguous than the grammatical meanings expressed by functional words e.g. *zu*, *bei* ('at, by'). The user is asked to separate the character chain into different words, e.g. *ausVersehen, (aus Versehen, 'by mistake').

• **Transposition:** The child needs to rearrange the letters or the syllables of a word, e.g. *Zugbürcke, (Zugbrücke, 'drawbridge').




Fig. 1. Exercises of Substitution (left) and Omission (right).

The amounts of types of exercises per class are defined according the real errors percentages found in our error list. For instance, omission errors were the more frequent type in dyslexic texts (28.14 %), therefore were created more **Insertion** exercises to target this kind of error. The other types of errors were substitution (21.03 %), capital letter (10.61 %) and no capital letter (7.21 %) for **Substitution** exercises, addition (21.03 %) for **Omission** exercises, run-on (0.29 %) and split in (2.73 %) errors for the **Separation** exercises, and transposition (0.88 %) for the **Transposition** exercises. We used the multi-errors (18.31 %) for higher levels.

3.5 Target Word Selection

To assure that the exercises are useful for the children, we used (1) only valid words in German language, (2) a set of the most frequent words of German, ⁵ (3) words used in books in school in Germany, ⁶ (4) and words from our error list. The final list of words is the intersection of these criteria.

For selecting the words we took into consideration specific difficulties of dyslexia. German words can be very long e.g. *Straßenbahnhaltestelle* ('tram stop'). Since people with dyslexia have difficulties with very long words [26] we included long words but not longer than 20 letters. For the **Separation** we chose functional words because of the same reason, people with dyslexia tend to have more errors with small and functional words [27].

⁵ http://www.lsa.umich.edu/german/hmr/Vokabeln/frequent_words.html.

http://bildungsserver.berlin-brandenburg.de/fileadmin/bbb/unterricht/faecher/sprachen/deutsch/ Grundschule/2011_11_25_GWS_1_WEB.pdf.

3.6 Modification of the Target Words

For the exercises that are not derived directly from the incorrect words in the corpora, we apply the linguistic patterns extracted from the errors to the most frequent words or schoolbook words. For instance, when the sound /a:/ is represented by the letters <ah> (Wahl, 'election'), <a> (Tal, 'valley') or <aa> (Haare, 'hair'), these three groups of letters are frequently mistaken between themselves or by other letters such as <e>. By applying these patterns to the most frequent words we cover relevant words that might not appear in our corpora.

3.7 Selection of the Distractors

Distractors are incorrect options in a multiple-choice answer, which resemble the correct option to 'distract' the player [28]. We selected distractors for each exercise word taking into account linguistic features. For instance, the most frequent errors involve letters which the one-to-one correspondence between graphemes and phones is not maintained, such as in $\langle sch \rangle$ pronounced as only on phone $[\underline{\int}]$. Another example is similar letters representing similar sounds, such as the occlusive consonants [t, d, b, p, g]. We used as distractors the letters that tend to induce more errors.

3.8 Difficulty Levels

The game has five difficulty levels: *Initial, Easy, Medium, Hard*, and *Expert*. The levels of the exercises were designed considering the difficulties of people with dyslexia. They have more difficulties with less frequent and longer words [26, 29] and words with complex morphology [27]. Hence, in higher difficulty levels, the target word is less frequent, longer and has a more complex morphology. For instance, only words in *Hard* and *Expert* levels have prefixes and suffixes.

People with dyslexia also struggle with phonetically and orthographically similar words [30]. Phonetically similar words are presented in all levels; orthographically similar words are used in all levels except from *Initial* level.

3.9 Implementation

The application was done in Objective-C by using the Model-View-Controller pattern and a high level abstraction to make it easily portable from iOS to Android and later to any other platform if needed. Since text presentation has a significant effect on reading performance of dyslexic readers, the interface of the game implements the guidelines that – according to the latest findings in accessibility research [8, 9].

4 Conclusions and Future Work

In this paper we have presented a method for creating exercises in German to support the spelling of children with dyslexia. The exercises were created on the basis of the linguistic analyses of errors written by children with dyslexia (from 8 to 17 years old) and can easily be transferred to other languages, because it relies on little language-dependent resources. The tool with the German exercises integrated will be soon available in the App Store. Also, the resource with the German errors and all the annotations is freely available.

The creation of this tool is the first step of a work-in-progress. Our next and final step for future work is to conduct a longitudinal evaluation to measure the efficiency of the tool in a German school with children with diagnosed dyslexia. We also plan to create more types of exercises, adapt the levels, automatically create exercises and improve the application by tailoring the exercises on the basis of the child's performance.

References

- Lyon, G.R., Shaywitz, S.E., Shaywitz, B.A.: A definition of dyslexia. Ann. Dyslexia 53(1), 1–14 (2003)
- Gesundheitsforschung BMBF Genetische Ursache für Legasthenie entdeckt. http://www.gesundheitsforschung-bmbf.de/de/1271.php
- 3. Remschmidt, H., von Aster, S.: Kinder- und Jugendpsychiatrie: Eine praktische Einführung: 177 Tabellen. Thieme, Stuttgart [u.a.], 4., neu bearb. und erw. aufl edition (2005)
- Esser, G., Wyschkon, A., Schmidt, M.: Was wird aus achtjährigen mit einer Lese- und Rechtschreibstörung? Ergebnisse im alter von 25 Jahren. Zeitschrift für Klinische Psychologie und Psychotherapie 4, 235–242 (2002)
- Schulte-Körne, G., Deimel, W., Jungermann, M., Remschmidt, H.: Nachuntersuchung einer Stichprobe von Lese-Rechtschreibgestörten Kindern im Erwachsenenalter. Zeitschrift für Kinder und Jugendpsychiatrie und Psychotherapie 31(4), 267–276 (2003)
- 6. Hornsby, B.: Overcoming dyslexia. Martin Dunitz, London (1986)
- Nicolson, R.I., Fawcett, A.J.: Dyslexia, dysgraphia, procedural learning and the cerebellum. Cortex 47(1), 117–127 (2011)
- 8. Gregor, P., Newell, A.F.: An empirical investigation of ways in which some of the problems encountered by some dyslexics may be alleviated using computer techniques. In: Proceedings of ASSETS 2000, pp. 85–91. ACM Press, New York (2000)
- Rello, L., Baeza-Yates, R.: Good fonts for dyslexia. In: Proceedings of ASSETS 2013, Bellevue, Washington, USA, October 2013
- Kyle, F., Kujala, J., Richardson, U., Lyytinen, H., Goswami, U.: Assessing the effectiveness
 of two theoretically motivated computer-assisted reading interventions in the United
 Kingdom: Gg rime and gg phoneme. Read. Res. Q. 48(1), 61–76 (2013)

⁷ https://itunes.apple.com/us/app/dyseggxia/id534986729?mt=8.

- 11. Lyytinen, H., Ronimus, M., Alanko, A., Poikkeus, A.-M., Taanila, M.: Early identification of dyslexia and the use of computer game-based practice to support reading acquisition. Nordic Psychol. **59**(2), 109 (2007)
- Rello, L., Bayarri, C., Otal, Y., Pielot, P.: A computer-based method to improve the spelling of children with dyslexia using errors. In: Proceedings of ASSETS 2014, Rochester, USA, October 2014
- 13. Goulandris, N. (ed.): Dyslexia in Different Languages: Cross-Linguistic Comparisons. Whurr Publishers, London (2003)
- 14. Petrie, H.L., Weber, G., Fisher, W.: Personalization, interaction, and navigation in rich multimedia documents for print-disabled users. IBM Syst. J. 44(3), 629–635 (2005)
- 15. Höinghaus, A., Schönweiss, F.: Ampelsignale zeigen Förderbedarf bundesweite Lisa-Bildungskampagne, 28 July 2010
- Flug, L.: Projekt-Evaluation Bremen: Erprobungsphase des Lernservers an bremischen schulen, 11.2007
- 17. Lyytinen, H., Erskine, J., Kujala, J., Ojanen, E., Richardson, U.: In search of a science-based application: a learning tool for reading acquisition. Scand. J. Psychol. **50**(6), 668–675 (2009)
- Rello, L., Bayarri, C., Gorriz, A.: What is wrong with this word? Dyseggxia: a game for children with dyslexia. In: Proceedings of the 14th International ACM SIGACCESS Conference on Computers and Accessibility. ACM (2012)
- 19. Sterling, C., Farmer, M., Riddick, B., Morgan, S., Matthews, C.: Adult dyslexic writing. Dyslexia 4(1), 1–15 (1998)
- Grund, M., Naumann, C.L., Haug, G.: Diagnostischer Rechtschreibtest für 5. Klassen: DRT
 Manual. Deutsche Schultests. Beltz Test, Göttingen, 2., aktual. aufl. in neuer Rechtschreibung Edition (2004)
- 21. Pedler, J.: Computer Correction of Real-word Spelling Errors in Dyslexic Text. Ph.D. thesis, Birkbeck College, London University (2007)
- 22. Stang, C.: Duden, Deutsche Rechtschreibung. Praxis kompakt. Dudenverl, Mannheim and Leipzig and Wien and Zürich (2010)
- Rello, L., Baeza-Yates, R., Llisterri, J.: DysList: an annotated resource of dyslexic errors. In: LREC 2014: The 9th International Conference on Language Resources and Evaluation. Reykjavik, Iceland, pp. 26–31, May 2014
- Topsch, W.: Grundkompetenz Schriftspracherwerb: Methoden und handlungsorientierte Praxisanregungen, Volume Bd. 5 of Beltz Pädagogik. Beltz, Weinheim and Basel, 2., überarb. und erw. aufl edition (2005)
- International Phonetic Association: Handbook of the International Phonetic Association: A
 Guide to the Use of the International Phonetic Alphabet. Cambridge University Press,
 Cambridge (1999)
- Rello, L., Baeza-Yates, R., Dempere-Marco, L., Saggion, H.: Frequent words improve readability and short words improve understandability for people with dyslexia. In: Kotzé, P., Marsden, G., Lindgaard, G., Wesson, J., Winckler, M., (eds.) INTERACT 2013, Part IV. LNCS, vol. 8120, pp. 203–219. Springer, Heidelberg (2013)
- Patterson, K., Marshall, J.C., Coltheart, M.: Surface Dyslexia: Neuropsychological and Cognitive Studies of Phonological Reading. Lawrence Erlbaum Associates, London (1985)
- Mitkov, R., Ha, L.A., Varga, A., Rello, L.: Semantic similarity of distractors in multiple-choice tests: extrinsic evaluation. In: Proceedings of EACL Workshop GeMS 2009, pp. 49–56 (2009)
- Coltheart, M.: Phonological dyslexia: past and future issues. Cogn. Neuropsychol. 13(6), 749–762 (1996)
- 30. Ellis, A.W.: Reading, Writing and Dyslexia. Erlbaum, London (1984)